



South Carolina Department of Labor, Licensing and Regulation

South Carolina Board of Nursing

110 Centerview Dr. • Columbia • SC • 29210

P.O. Box 12367 • Columbia • SC 29211-2367

Phone: 803-896-4550 • NURSEBOARD@llr.sc.gov • Fax: 803-896-4515

llr.sc.gov/nurse

ADVISORY OPINION # 18

FORMULATED: January 29, 1988

REVISED: July 2017, November 2014, November 2012, July 2007, April 2003, December 1997,

REVIEWED: October 2019, May 2006, July 2005, July 1998, January 1997, May 1992, May 1993

QUESTION: Is it within the role and scope of practice of the registered nurse (RN) to apply internal fetal electrodes, and to insert intrauterine monitoring devices without an authorized licensed provider present, and if so, may the RN perform amniotomy to apply the internal components?

The State Board of Nursing for South Carolina acknowledges that it is within the role and scope of the registered nurse (RN) to apply internal fetal electrodes and to insert intrauterine monitoring devices on patients with ruptured membranes without an authorized licensed provider present.

It is **NOT** within the role and scope of the registered nurse (RN) to perform an amniotomy to apply the internal components.

This statement is an advisory opinion of the Board of Nursing as to what constitutes competent and safe nursing practice.