





















- 5.7.2 Do shipping buildings not used for storage meet the same requirements as process buildings for the methods and types of construction, and the same quantity limitations and tables of distances as magazines?
- 5.7.3 For the purposes of applying Table 4.6.4.1, a shipping building for display fireworks shall be considered a magazine.
- 5.7.4 Are shipping buildings used as process buildings?
- 5.7.5 Are display fireworks, consumer fireworks, pyrotechnic articles, pyrotechnic devices, pyrotechnic materials, pyrotechnic special effects, pyrotechnics, fuses, electric matches, igniters, igniter cord, nondetonating fuse, fuses, black match, quick match, and other pyrotechnic devices and compositions prohibited from being stored in shipping buildings unless the shipping building complies with 5.7.1?
- 5.7.6 Do pyrotechnic or explosive compositions in shipping buildings remain in sealed containers?
- 5.7.7 Are loose pyrotechnic or explosive compositions prohibited in shipping buildings?
- 5.7.8 Are fireworks and other pyrotechnic or explosive devices in shipping buildings in open cartons or bins, or both, secured so they will not roll or fall?
- 5.7.10 Are tools and equipment used in shipping buildings made of or covered with non-spark-producing materials?
- 5.7.12 Are housekeeping requirements for magazines shall applied to shipping buildings?
- 5.7.13 Are security requirements for magazines applied to shipping buildings used for storage?